

NIGHTSTICK
Life Depends on Light™



**Professional
Lighting
Products
2017**



BAYCO
30+ YEARS
SINCE 1984

www.mynightstick.com

NIGHTSTICK
Life Depends on Light™

INTRINSICALLY SAFE LIGHTING FOR
**HAZARDOUS
ENVIRONMENTS**



BAYCO
PRODUCTS INC.
30+ YEARS
SINCE 1984

WWW.NIGHTSTICK.COM

NIGHTSTICK
Life Depends on Light™



**LAW
ENFORCEMENT**
| LIGHTING |

NIGHTSTICK
Life Depends on Light™



**SPORTING
GOODS**
| LIGHTING |

Intrinsically Safe Dual-Light™ Angle Light RECHARGEABLE

Model: XPR-5572RA

aska®

Features

- **PESO Approved**
- cETLus, ATEX, IECEx, INMETRO and MSHA listed Intrinsically Safe Permissible
- CREE LED technology – 50,000 + hours LED life
- Dual-Light™ (Flash & Flood at same time) for maximum versatility & user safety
- 3 User-selectable brightness settings along with Strobe mode including a 20 Lumen Survival Mode
- Impact and chemical resistant
- **IP-67 Water Proof & Dustproof**
- Beam Distance rated at 267 Meters
- Max. Lumens rated at 200 Lumens for Flashlight, Floodlight and Dual Light.
- Drop rating of 2 Meters
- Glass Filled Nylon Polymer Housing
- Unbreakable Polycarbonate scratch resistant Lens
- Heavy Duty Stainless Steel pocket clip
- Runtime of 6 Hrs. on High Mode and Charge time of 6 Hrs.



Intrinsically Safe Permissible Dual-Light™ Flashlight w/Dual Magnets

Model: XPP-5422GM

Features

- **PESO Approved**
- cETLus, ATEX, IECEx, INMETRO and MSHA listed Intrinsically Safe Permissible
- CREE LED technology – 50,000 + hours LED life
- Dual-Light™ (Flash & Flood at same time) for maximum versatility & user safety
- **Powerful integrated magnets** built into the base and pocket clip for multiple hands-free options
- Impact and chemical resistant
- **IP-67 Water Proof & Dustproof**
- Beam Distance rated at 170 Meters
- Max. Lumens rated at 120 Lumens for Flashlight & Floodlight and 240 Lumens for Dual Light.
- Runtime of 17.5 Hrs.
- Drop rating of 2 Meters
- Engineered Polymer Housing designed for non-slip grip
- Unbreakable Polycarbonate scratch resistant Lens




Flashlight



Floodlight



Dual-Light



Dual Magnets



Intrinsically Safe Dual-Light™ Headlamp w/Hard Hat Clip & Mount

Model: XPP-5454GC

Features

- **PESO Approved**
- cETLus, ATEX, IECEx & INMETRO listed Intrinsically Safe Permissible
- CREE LED technology – 50,000 + hours LED life
- 5 modes: high/low spotlight, high/low floodlight & Dual-Light™ with Runtime of 5+ Hrs. on high mode
- **Integrated Stainless Steel Clip attaches to hard hat mounting bracket (included)**
- Impact and chemical resistant
- **IP-67 Water Proof & Dustproof**
- **Adjustable ratchet tilt head**
- Heavy-duty rubber strap for hard hat applications
- Beam Distance rated at 82 Meters
- Max. Spotlight Lumens rated at 115 & Max. Floodlight Lumens rated at 120.
- Drop rating of 2 Meters
- Engineered Polymer Housing
- Unbreakable Polycarbonate scratch resistant Lens



Mount is included

Intrinsically Safe Permissible Dual-Function Headlamp Model: XPP-5452G

Features

- **PESO Approved**
- cETLus, ATEX, IECEx listed Intrinsically Safe Permissible
- CREE LED technology – 50,000 + hours LED life
- High-brightness and Low-brightness spotlight
- Impact and chemical resistant
- **IP-67 Water Proof & Dustproof**
- **Adjustable ratchet tilt head**
- Non-slip elastic head strap
- Heavy-duty rubber strap for hard hat applications
- Beam Distance rated at 92 Meters
- Max. Lumens rated at 115 Lumens for High Brightness & 65 Lumens for Low Brightness.
- Runtime of 4.5 Hrs. on high mode
- Drop rating of 2 Meters
- Engineered Polymer Housing
- Unbreakable Polycarbonate scratch resistant Lens



Spot High



Spot Low



Intrinsically Safe Dual-Light™ Lantern - Rechargeable Model: XPR-5580R

- **cULus, ATEX, and IECEx certified Intrinsically Safe**
- CREE LED technology – 50,000+ hours LED life
- Flashlight/Floodlight/Dual-Light™
- 3 User-selectable brightness settings on the Flashlight
- High-efficiency deep parabolic reflector creating a sharp focused flashlight beam
- 3 User-selectable brightness setting on the Floodlight including a 30 Lumen Survival Mode
- Dual-light (both the flashlight & floodlight on at the same time) provides for maximum lighting versatility and user safety
- Glass-filled Nylon Polymer housing
- Dual body switches
- **IP-67 Dustproof / Waterproof**
- Impact & chemical resistant
- Meets requirements of NFPA-1971-8.6 (2013)
- Charger meets requirements of NFPA-1901 (2009)
- Serialized for personal identification
- Powered by Lithium-ion battery (included)



Intrinsically Safe Dual-Light™ Angle Light RECHARGEABLE with 90° Rotatable Head

Model: XPR-5568RX

Features

- cETLus, ATEX, IECEx listed Intrinsically Safe Permissible
- CREE LED technology – 50,000 + hours LED life
- Dual-Light™ (Flash & Flood at same time) for maximum versatility & user safety
- 90° Rotatable Flashlight Head & 45° angled Floodlight
- 8 User-selectable brightness settings along with Strobe mode including a 20 Lumen Survival Mode
- Impact and chemical resistant
- IP-67 Water Proof & Dustproof**
- Beam Distance rated at 401 Meters**
- Max. Lumens rated at 200 Lumens for Flashlight, 100 Lumens for Floodlight and 205 Lumens for Dual Light.
- Drop rating of 2 Meters
- Glass Filled Nylon Polymer Housing
- Unbreakable Polycarbonate scratch resistant Lens
- Heavy Duty Stainless Steel pocket clip
- Runtime of 7 Hrs. on High Mode and Charge time of 4 Hrs.
- Power source: Rechargeable Lithium-ion battery

aska®



SOME OF OUR ESTEEMED CUSTOMERS – Oil & Gas



SOME OF OUR ESTEEMED CUSTOMERS – Others



Thank You

